


OWENS CORNING ROOFING SHINGLE SAMPLE COLOR BOOK



SUPER Series Shingles

• with Super Sealant Technology



Wind Resistance



Fire Resistance



Algae Resistance



Light & Safe



Owens Corning™ Roofing Shingle

Owens Corning SUPER series shingles with super sealant technology offer two choices.

Introducing Owens Corning™ SUPER series shingles - your best investment for high-end, premium look and exceptional durability, which gives your home the aesthetics and performance you desire, at an attractive price.

OAKRIDGE SUPER, our best option, offer sophisticated expression with limited Algae Resistance Warranty¹, have a limited Lifetime Warranty¹ and can withstand winds up to 180KMPH¹.

Our traditional three-tab CLASSIC SUPER shingle combines simple, timeless beauty with Owens Corning's SUPER sealant technology. CLASSIC SUPER offers a 20-Year-Limited warranty¹ and 130-KMPH¹ wind resistance limited warranty¹.

What is Super Sealant Technology?

Owens Corning has been a recognized leader in the building industry for over 75 years. And we take pride in being America's No.1 Roofing Brand². Our Super Sealant Technology is a proprietary premium weathering-grade asphalt sealant that is specially formulated by Owens Corning. By choosing any product from our SUPER series shingles, the Super Sealant grips tightly on the shingle below with exceptional wind resistance that delivers 180 KMPH¹ wind warranty performance by performing excellent adhesive power.



Wind Resistance



Fire Resistance



Algae Resistance



Light & Safe



Super Sealant Technology

	Brand	OAKRIDGE® SUPER™	CLASSIC® SUPER™
SUPER Series Product Specifications	Nominal Size:	337 mm x 984 mm	333 mm x 1000 mm
	Warranty*	LIFETIME*	20 Year*
	Wind Resistance	180KMPH	130KMPH
	Algae Resistance	AR	Optional
	Sealant Type	SUPER Sealant	SUPER Sealant
	Exposure:	143 mm	143 mm
	Weight per Square (approximate):	108 kg/ SQ	88 kg/ SQ
	Coverage per Square:	9.01 m ²	9.15 m ²
	Packing	16 shingles/ bundles 4 bundles/SQ 16 SQ / pallet	16 shingles/ bundles 4 bundles/SQ 16 SQ / pallet

*see actual warranty for complete details, limitations and requirements

Tested for Excellence

All Owens Corning shingles are tested to meet or exceed applicable standards measuring fire coverage and wind resistance.

Applicable Standards & Codes

ASTM E 108, Class A, UL 790, Class A

ASTM D 3161, UL 997

ASTM D 3018, Type I

ASTM D 3462

ASTM D 228

KS F 4750

Fire Test

Wind Test

Glass fiber reinforced shingle standard

Standard for glass fiber shingles

Standard test methods for sampling, testing, and analysis of asphalt shingles used in roofing and waterproofing

Asphalt Shingle



Asian Green

AG



Classic

Harbor Blue

HB



Classic / Oakridge

Bark Brown

BB



Classic

Desert Tan

DT



Classic

Terra Cotta Blend

TCB



Classic

Asian Red

AR



Classic / Oakridge

Onyx Black

OB



Classic / Oakridge

Brown Wood

BW



Classic / Oakridge

Estate Gray

EG



Classic / Oakridge

OWENS CORNING ROOFING SHINGLE SAMPLE COLOR BOOK



OWENS SARANA ASIAPASIFIK

Showroom 1

Jl. Indokarya 3 Blok E No. 10
Sunter Indofica Housing, Jakarta (14340)
Ph. (021) 2265 8453 / (021) 2265 3455
CS: 0811 8629 770

Email: marketing@owensindonesia.com

Showroom 2

Villa Bukit Mas RN. 11
Jl. Abdul Wahab Siamin, Surabaya.
Ph. (031) 5665 107
CS: 0811 8629 771

Web: www.owensindonesia.com





OWENS CORNING ROOFING SHINGLE SAMPLE COLOR PALETTE

No. 1 Shingle Brand

OAKRIDGE® SUPER™



Asian Red



Brownwood



Estate Gray



Onyx Black



Harbor Blue

CLASSIC® SUPER™




Onyx Black




Asian Green




Asian Red



Brownwood



Bark Brown



Estate Gray



Terra Cotta Blend



Desert Tan



Harbor Blue



OWENS SARANA ASIAPASIFIK

Showroom 1

Jl. Indokarya 3 Blok E No. 10
Sunter Indofica Housing, Jakarta (14340)
Ph. (021) 2265 8453 / (021) 2265 3455
CS: 0811 8629 770

Showroom 2

Villa Bukit Mas RN. 11
Jl. Abdul Wahab Siamin, Surabaya.
Ph. (031) 5665 107 CS: 0811 8629 771
Web: www.owensindonesia.com
Email: marketing@owensindonesia.com

